

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/233566780>

Therapeutic Value of Equine–Human Bonding in Recovery from Trauma

Article in *Anthrozoos A Multidisciplinary Journal of The Interactions of People & Animals* · March 2008

DOI: 10.2752/089279308X274038

CITATIONS

38

READS

462

3 authors, including:



Jan Yorke

Laurentian University, Barrie Campus

6 PUBLICATIONS 49 CITATIONS

SEE PROFILE



Nick F Coady

Wilfrid Laurier University

20 PUBLICATIONS 275 CITATIONS

SEE PROFILE

Georgian College

Library Commons – Orillia Campus

Interlibrary Loans

Georgian College

825 Memorial Ave

Orillia, ON

L3V 6S2

ghussey@georgianc.on.ca

TEL: (705) 325-2740 ext 3053

FAX: (705) 329-3107

Do not remove this cover sheet.
This copyright statement must be delivered to the end user with the
attached article.

This material has been copied under license from
Access Copyright.
Resale or further copying of this material is strictly prohibited.

OR

This single copy has been made at the request of the recipient for the
purpose of research or private study only.
It is not to be used for any other purpose or reproduced without the
permission of the copyright owner.

Library Commons
Georgian College
825 Memorial Avenue
Box 2316
Orillia, ON L3V 6S2

Therapeutic Value of Equine-Human Bonding in Recovery from Trauma

Jan Yorke,* Cindy Adams† and Nick Coady‡

*Georgian College, Ontario, Canada

†Ontario Veterinary College, University of Guelph, Ontario, Canada

‡Wilfrid Laurier University, Ontario, Canada

Address for correspondence:
Jan Yorke, Georgian College,
825 Memorial Drive, Box
2316, Orillia, Ontario, Canada
L3V 6S2.
E-mail:
jyork@georgianc.on.ca

ABSTRACT Although most human-animal bond research has focused on relationships between humans and pets, animals have been used for therapeutic purposes in a variety of settings. Therapeutic riding programs have demonstrated a positive impact on quality of life for people with disabilities. Equine-facilitated psychotherapy is a promising approach to address self-esteem, depression, and other emotional or psychological problems. Restoration of the trauma victim's capacity for recovery hinges on provision of safety and development of trust, self-esteem, and self-efficacy. Thus, recovery from trauma represents an ideal context for exploring the therapeutic impact of equine-human relationships. The six participants in this study recognized that their pre-existing relationships with horses were therapeutic during recovering from trauma, defined as sufficient to have caused significant change in the participant's life. Semi-structured interviews and video-tapes of horse-rider interaction were used to describe the nature of the equine-human bond and its contribution to recovery from trauma. The equine-human bonds described by participants have parallels both with important elements of therapeutic alliances between professionals and clients and with the positive impact of relationship factors on client outcome.

Keywords: equine-human bond, equine psychotherapy, horse, therapeutic alliance, trauma recovery



Psychotherapy research confirms that a good helping relationship, characterized commonly by mutual liking, respect, rapport, trust, warmth, acceptance, and collaboration, is the most powerful predictive factor for successful client outcome (Horvath and Symonds 1991; Orlinsky, Ronnestad and Willutzki 2004). Human-animal bond research suggests that close relationships with companion animals may also have therapeutic value for humans (Friedman et al. 1980; Katcher 1980; Katcher et al. 1983; Lagoni, Butler and Hetts 1994; Jorgenson

Although most human-animal bond research has focused on relationships between humans and pets (small companion animals), increasingly, animals have been used for therapeutic purposes in a variety of settings (e.g., nursing homes, hospitals, treatment centers) (Mallon 1992; Jorgenson 1997). The use of horses for therapeutic purposes (hippotherapy) has received increasing attention (Strauss 1991; Engel 1997; Bizub, Joy and Davidson 2003; Haylock and Cantril 2006; Kaiser et al. 2006). Horses are recognized as patient, cooperative, and receptive to people, and therapeutic riding programs have demonstrated a positive impact on quality of life for people with disabilities (Garrity and Stallones 1998). Equine-facilitated psychotherapy is a promising approach to address self-esteem, depression, and a host of other emotional or psychological problems (Taylor 2001). Although the amount of contact time between riders/owners and their horses might often be less than that between humans and small

In the presence of the nature of equity, the participant's experience "thick," rich herent in that "I considered employment of trust

of equine-human relationships between the nature and

therapy has been considered and French, cited in rope (Frank and Frank 1983), self-esteem and active, incorporating elements (Wampold 2001), and a necessary ingredient even more effective as strong emotional connection and how it interacts with have been extended into 5).

in these ways, it is not clear therapeutic effects. dogs, cats) may have been (Frank et al. 1983), coronary artery (Seigel 1990). Attachment theory (Bowlby 1969; Ainsworth 1962; Hart 2006). Emotion in research suggests that accuracy in interpreting

work is overarched by the 1960; Germain and the examination of the individual problems (Reich 1961; Allen 1985; Kellert and with a predisposition to social support." (Beck 1960; animals is represented in 1995).

relationships between humans have been used for therapy, treatment centers) (hippotherapy) has been (Davidson 2003; Hayman 1998; cooperative, and a positive impact on equine-facilitated psychotherapy, and a host of other aspects of contact time between humans and small

companion animals, unique elements of equine-human relationships may foster deep, intimate connections (Brackenridge and Shoemaker 1996; Wipperfurth 2000; Taylor 2001; Yorke 2003; Brant 2004). Riding provides an activity and a place for riders to socialize with like-minded individuals. Few other companion animals can be ridden, offering the opportunity for such close and broad body-to-body contact. As a result of the close physical contact involved in riding and grooming horses, a type of "physical sign language" develops (Edgette 1996), establishing a deep rapport, intimacy, and mutual understanding. Although well-designed controlled research on the effectiveness of equine-facilitated psychotherapy is lacking, anecdotal evidence (Tyler 1994; Pearson 1997) and the results of research relating to small companion animals suggest its promise.

Trauma may result in a spectrum of physical, emotional, and psychological consequences (Meichenbaum 1994; Figley 1995; Van der Kolk, McFarlane and Weisaeth 1996). Recovery from trauma, as well as from other socio-emotional problems, requires a close personal connection that is caring, consistent, trusting, and safe (Herman 1997; Regehr, Hill and Glancy 2000). Regehr, Hill and Glancy (2000) conclude that restoration of the trauma victim's capacity for recovery hinges on provision of safety and development of trust, self-esteem, and self-efficacy. In this study, trauma was defined using the Diagnostic and Statistical Manual of Mental Disorders, 4th edition, Text Revision (DSM-IV-TR; American Psychiatric Association [APA] 2000), which defines it as "direct personal experience of an event that involves actual or threatened death or serious injury, or other threats to one's physical integrity... (Criterion A1, p. 463). Thus, recovery from trauma represents an ideal context for exploring the therapeutic impact of equine-human relationships. This study focused on a small sample of riders who recognized that a pre-existing relationship with a horse had been helpful in recovery from trauma (e.g., car or work accident, horse-related accident, health trauma).

Methods

Research Approach

In order to explore the therapeutic nature and impact of equine-human relationships in recovery from trauma, it was necessary to explore the deep meaning that participants ascribe to their relationships with their horses. This is best accomplished by a qualitative phenomenological research approach sensitive to an emotionalist perspective. "In exploratory studies, the quality of the study is not determined by the size or randomness of the sample, as the research goal is not to generalize but rather to go into depth with a small number of people. Thus qualitative research seeks to compose a group of people who have something in common, and to include individuals who are 'information-rich' (Krueger and Casey 2000)" (Kruzich and Friesen 2002 in Alexander and Solomon 2006). Phenomenology (the theory that behavior is determined by the way a person perceives reality) allows the researcher to view the issue in a broad context and to explore with the intention of understanding the lived experiences of the participants (Gubrium and Holstein 1994).

In the present study, observation in a natural setting was important to understanding the nature of equine-human bonded relationships. The goal was to observe and understand the participant's experience without disrupting it (Denzin and Lincoln 1994). Participants often use "thick," rich, and descriptive language related to their interpretation of the experience. Inherent in that "language" are clues to the feelings their experiences produce. The researcher considered empowerment of the participants, through the mutuality of dialogue and development of trust, as key to the successful completion of this study. Informants needed to be

allowed to speak for themselves, using their language (Strauss and Corbin 1990). Emotionism explores the depths of feelings and emotions expressed by the participants, allowing the researcher and the reader to feel the experience (Gubrium and Holstein 1997). By employing an emotionalist lens, the researcher explored the narrative of the individual's interviews, related to their trauma experiences, to discover the depth and range of feelings that occurred for them.

Sample Selection

Sampling was purposive, addressing the need to focus on participants who offered the best opportunity to understand the experience of equine-human relationships and their healing capacity with regard to trauma. Participants were selected on the basis of their identifying that a pre-existing relationship with a horse had been therapeutic in terms of their recovery from a trauma. Individuals who began riding after their trauma experience were not included. Participants were sought through snowball sampling, including the researchers' personal and professional contacts, and through media coverage of the pending project. In addition, equine veterinary practices, therapeutic riding schools, and some riding coaches throughout southern Ontario, Canada, were informed of the study and asked to refer possible candidates for participation.

Participants were screened through telephone discussion. Participants (at least 18 years of age) were selected on the basis of their identifying a relationship with a particular horse that had been therapeutic in their recovery from trauma—defined as sufficient to have caused significant change in the participant's life. Following the initial telephone screening, respondents received an introductory letter, informed consent statement, and a short questionnaire. The questionnaire gathered basic demographic information and information about the respondent's riding experience, the trauma experienced, and initial thoughts about how the relationship with a horse had been helpful in recovery from the trauma.

Human Participants

There were six participants, four women and two men, who ranged in age from 18 to 51 years. Trauma had occurred 10 months to 11 years before the research interviews. One male and one female participant had been injured in horse-related accidents, with the female rider becoming a paraplegic and the male rider being brain-injured. Two other female participants were injured in car accidents, with both becoming quadriplegics and one being brain-injured. One male participant was HIV-positive. The sixth participant was a female who had experienced multiple physical and psychological traumas as well as abuse. All participants had been riding since childhood, and all had been in recovery from their traumas for at least eight months before they returned to riding. Thus, all participants had experienced a debilitating physical and/or psychological trauma that had acute and chronic consequences and that had interrupted or had a profound effect on his or her riding.

All participants had resumed riding at least two to three months before participating in the study. Some rode more consistently than others. All but one rode frequently (three to seven days per week), depending on the weather, demands of horse show competitions, and physical health. Most participants rode for 30 minutes to several hours, depending on how many horses they rode in a day.

Initially, five participants depended on family or partners to provide transportation to the stable or assistance mounting and grooming the horse. At the time of the study, only two of the participants required ongoing family assistance with grooming and transportation. Five

participants were a provided proximity to graze in through participants were invol once or twice a day

Three participar These riders had b trauma experience, participants identifie horse, and for the s a friend. Four riders competed with prio physicians, and fan after the trauma.

Horse Participants

Six horses were inv sidered to be compl in their own right. TI national competition the riders' trauma e terity and quick resp well-trained and acc

Interviews and Vi

Two semi-structure conducted with eac ticipants and videot natural setting was tionships. The first ended and the parti the researcher videc 30 to 60 minutes, te in the saddle.

During the seco pant's recovery from grooming the horse) of the videotape prc horse-rider interacti ticipants who had be ensure the credibility

Data Analysis

All interviews were t Strauss and Corbin videotapes were rev other authors, and r

Corbin 1990). Emotion-
participants, allowing
Holstein 1997). By em-
f the individual's inter-
range of feelings that

s who offered the best
hips and their healing
asis of their identifying
erms of their recovery
ice were not included.
researchers' personal
ig project. In addition,
ng coaches through-
ked to refer possible

ants (at least 18 years
a particular horse that
it to have caused sig-
reening, respondents
rt questionnaire. The
on about the respon-
out how the relation-

from 18 to 51 years.
s. One male and one
female rider becom-
participants were in-
g brain-injured. One
who had experienced
ants had been riding
ast eight months be-
ilitating physical and
that had interrupted

e participating in the
ently (three to seven
petitions, and phys-
nding on how many

ransportation to the
e study, only two of
transportation. Five

participants were able to keep their horses at home because they lived in rural settings that provided proximity to a barn, indoor and/or outdoor riding arenas, paddock space for horses to graze in throughout the day, and in some cases, trails through wooded areas. These participants were involved in daily grooming, cleaning of bedding in stalls, feeding and watering once or twice a day, and blanketing of horses, if required, in winter.

Three participants rode more than one horse regularly before and after their accidents. These riders had been involved in coaching and training young horses and riders before the trauma experience, and had been responsible for riding many horses in a day or week. All participants identified one horse as significant to them. Five participants owned the significant horse, and for the sixth participant, the significant horse lived on the property but belonged to a friend. Four riders returned to riding the high performance animals they had ridden and/or competed with prior to their trauma experience, despite warnings and cautions from coaches, physicians, and family members. Three participants returned to competing with their horses after the trauma.

Horse Participants

Six horses were involved in this study. Four of the horses, ridden by participants, were considered to be complex and difficult animals by riders and/or their coaches, finely tuned athletes in their own right. These horses were capable of competing at a very high level in sport (international competition, three-day horse trials, dressage, trick riding, roping and reining), prior to the riders' trauma experiences. This made them fast and at times unpredictable, requiring dexterity and quick responses from their riders prior to the trauma. The remaining two horses were well-trained and accommodating with their riders.

Interviews and Videotaping

Two semi-structured, audio-taped interviews, each approximately two hours' long, were conducted with each participant in the barn where the horse was kept. Interviews with participants and videotaping occurred between the spring of 2001 and 2002. Observation in a natural setting was deemed important to understanding the nature of equine-human relationships. The first interview began with exploration of the trauma that had been experienced and the participant's relationship with the horse. In the second part of that interview, the researcher videotaped the participant interacting with the horse (grooming and riding) for 30 to 60 minutes, to observe the interaction between the horse and rider on the ground and in the saddle.

During the second interview, the impact of the human-horse relationship on the participant's recovery from trauma was discussed in depth, and selected parts (riding the horse, grooming the horse) of the videotape were reviewed together, at the home of the rider. Review of the videotape provided the researcher and participant with an opportunity to discuss the horse-rider interaction and to explore a deeper understanding of the relationship. For two participants who had been brain-injured, their mothers were also interviewed to elaborate on, and ensure the credibility of, the data.

Data Analysis

All interviews were transcribed and analyzed using the open coding processes identified by Strauss and Corbin (1990), and all transcripts were coded using paper and pen initially. The videotapes were reviewed by the primary researcher (JY), with input from participants, the other authors, and notes from these reviews were included in the data analysis, with respect

to development of codes and validity. Open codes, based on quotations from the transcript and the researcher's understanding of the participant's meaning, were assigned to sentences and paragraphs in the transcribed text. After coded interviews were reviewed and compared by peers and research committee members, qualitative software NUD*IST (Non-numerical and Unstructured Data * Indexing Searching and Theorizing; Qualitative Solutions and Research International Pty Ltd., Doncaster, Victoria, Australia) was used to comprehensively code each sentence and paragraph. The unusually fine coding, which was done to capture every emotional nuance, generated multiple layers of categories that ended up containing over 1600 individual codes. As the primary researcher (JY) identified repetitive patterns throughout the coding process, categories were reorganized and grouped. All codes were finally subsumed under the main themes shown in Figures 1 and 2 (see Results section). Finally, the results of the analyses were shared with participants via mail or follow-up interview, and their feedback on the analyses was incorporated into the results. The researcher wanted to be reflexive (examine their interpretation) and be assured by participants that the interpretation was authentic and reliable. Videotapes were also used to triangulate observed behaviors (in riders and horses) with coded interviews. "Transferability is considered to be the parallel to the positivistic concept of generalizability, except that the reader, not the researcher, decides if the results can be applied to a second situation (Krueger and Casey 2000)" (Kruzich and Friesen 2002, cited in Alexander and Solomon 2006).




Figure 1. Description of four equine-human bond themes and the relationship to healing.




Figure 2. The nature of the therapeutic alliance.

Results

Overview of Ther.

Two broad categories of human bond " and t broad category had

The relationship: complex, and multif the data analysis: the utility bond. Two bo personal in nature. The pects of all four bo aspects of a bond r

The category "th horse-human relationship. Three sub-categories bond: "feelings," "pr

Nature of the Equ

The intimacy/nurturing (see Figure 1). It was that transcended riding be the most anthrop spoke to their equine he or she thought th rocal, interactive, ar "touchy and oral," ar riders. These riders a with human-human "it has a lot to do w guessing what he is

One rider described around [her horse], a was like her saying ' tears in your eyes.' Y

The identity bond sonal, with emphasis center of the participant riding, care of horses, of self. They used ric pieces of themselves talked of riding her ho riding her horse "I'd h more prevalent in the more prevalent earlier

The partnership relationship, including

Results

Overview of Thematic Categories

Two broad categories arose from the analysis. The first category was "the nature of the equine-human bond" and the second was "the therapeutic value of the equine-human bond." Each broad category had a number of sub-categories (see Figure 2).

The relationships that developed between the riders and horses in this study were deep, complex, and multifaceted. Four main components of the equine-human bond emerged from the data analysis: the intimacy/nurturing bond, the identity bond, the partnership bond, and the utility bond. Two bond components (intimacy/nurturing and identity) were emotional and personal in nature. The other two (partnership and utility) were more practical or task-oriented. Aspects of all four bond themes emerged in each participant-horse relationship, with some aspects of a bond more prevalent for some participants than others.

The category "therapeutic value of the equine-human bond" focused on aspects of the horse-human relationship that the riders identified as contributing to their healing and recovery. Three sub-categories emerged that defined the therapeutic nature of the equine-human bond: "feelings," "proximity/touch," and "behaviors relevant to healing and recovery."

Nature of the Equine-Human Bond

The intimacy/nurturing bond appeared to be the most intense of all of the four bond themes (see Figure 1). It was emotional and personal, with emphasis on the feelings about the horse that transcended riding. Riders for whom this element of the bond was strongest appeared to be the most anthropomorphic and would say things like "we both want to be close." They spoke to their equine partners as they would to loved ones, and each often put into words what he or she thought the horse was trying to communicate. These relationships appeared reciprocal, interactive, and responsive. The horses in these relationships appeared to be very "touchy and oral," and frequently chose to nuzzle, lick, touch, and physically interact with their riders. These riders also talked about the significance of human-horse relationships compared with human-human relationships, making points such as "they don't try and analyze you" or "it has a lot to do with his innocence, he's completely pure, who he is. There is no second guessing what he is thinking."

One rider described such intimacy and nurturing: "I can remember standing with my arms around [her horse], and crying on her shoulder, literally tears running down onto her fur, and it was like her saying 'It's okay, you can tell me your story... I won't tell anyone else there were tears in your eyes.' You just kinda get it [emotion] out and they seem so accepting of it."

The identity bond concerned the rider's self-perception. The focus was emotional and personal, with emphasis on feelings about self in relation to the horse. Riding appeared to be the center of the participants' lives, defining who they were. The life work of each participant had been riding, care of horses, and/or competing. The trauma experience appeared to rob them of aspects of self. They used riding in recovery, especially with the horses they were closest to, to regain pieces of themselves, of whom they had been before their trauma experiences. One participant talked of riding her horse as a way to "get back on my feet again," and another said that without riding her horse "I'd have no means of finding myself again." This aspect of the bond emerged as more prevalent in the two male participants than the four female participants, and appeared to be more prevalent earlier in four of the six riders' recovery than later in their recovery.

The partnership bond was more task-focused, with emphasis on the egalitarianism of the relationship, including the mutual respect and effort the partners exhibited. It emphasized the

teamwork and communication required by riding (the use of language as well as non-verbal communication). It described the symmetry of human and horse, moving as one and working together, that evolves from proximity and length of relationship, and the clarity that comes with their knowledge of what to expect from each other, both physically and mentally. One rider remarked: "When you can feel a horse raise its eyebrows in attention, you know there is a connection there."

Three riders focused their efforts on redeveloping this partnership or teamwork ability in the face of the challenges remaining from their trauma experience. Their language focused on description of behaviors/responses related to the partnership and what they meant. The emphasis in this aspect of the relationship appeared to be on togetherness and oneness. The bond appeared focused more on behavior, less on emotion. This theme appeared to be part of the working phase of recovery, incorporating perseverance and determination and ignoring the risks of riding and fear of injury that might accompany the effort to recapture a particular level of ability. For these riders, the partnership with the horse went beyond riding. Participants noted: "It's not just good enough to ride," or "With a horse you are never alone."

The utility aspect of the equine-human bond encompassed a cluster of issues related to the functionality of the horse and the relationship. Three female participants described horses as useful and riding as enjoyable, providing goals that gave the rider something to work toward. These riders associated the act of riding and the interaction with the horse as a challenge, like their recovery. Recovery became something that was surmountable and motivating, something to declare victory over. There was an overlap with the partnership aspect of the bond in that the horses were not seen just as means to an end, but rather as comrades-in-arms, allies, and partners in the fight for recovery. These participants described riding their horses as a way of "getting away from the ugly stuff," "thinking about something different," and "getting a new frame of mind." This component of the bond was described as part of early recovery experiences for these three riders.

Therapeutic Value of the Equine-Human Bond

"Feelings" were a significant sub-category that emerged. Feelings of intimacy in the horse-human relationship provided support and nurturance to participants in their journeys toward healing and recovery. Some participants spoke fondly of other horses (e.g., therapeutic riding mounts, second horses they owned), but each was clear to distinguish between those horses and the one to which he or she felt most connected. Participants talked about the length of the relationship ("We've known each other for over 20 years"), the shared history of facing difficult circumstances (competition, early training, rescue from risky circumstances for the animal or rider), and the horse's specific characteristics ("He was the cutest horse I'd ever seen") when describing the intimacy in their relationship with the animal. Mutual understanding and trust were important parts of this intimacy. One rider explained: "He [the horse] seems to know that I'm disabled, he seems to know how I am disabled, and he seems to know what I mean without me saying a word to him, both on and off the horse. And it's not something I have with any other horse because I don't know them well enough. He can be strong...I mean a strong rider gets on him, he starts fighting with them, and he will take off on them...you fight with him, you lose. My mother knew I didn't have the strength to do anything if he decided to take off. So she was very concerned and she should have been. I was never afraid to get on him. I know how he reacts, I know him, he knows me. I can't explain it."

Riders also talked about the significance and helpfulness of their relationships with smaller animals, but they were careful to qualify the distinction between these relationships and those

with their equine p
a four-hour trail ric

Participants' f
seemed to be clo:
barn was often de
participant explain
participants often dex
them. One participi
comfort and cry ui
barn eating conte:
feel like I'm in heav
to the barn and m
one with nature, th

Closely related
ical contact betwe
horse, said: "... to
the importance of
macy they develop
is probably when p
it's intimate but the
move with them. L
whales . . . it's a n

The importanc
rounded the care a
"There's the physio

"Task-related"
to healing and rec
using equipment a
familiar, comforting
distinction between
to feelings of intim
part that helped m
ing with him, talkin
ing to what I do, v
always talking bac

Discussion

The results of this
tributed significant
between good equine
of the nature of the

The four bond
good therapeutic
concept of the the
which is socio-em
bond themes that

as well as non-verbal communication as one and working together. One rider remarked: "There is a connection there." or teamwork ability in the language focused on details that they meant. The emphasis and oneness. The same appeared to be part of determination and ignoring to recapture a particular beyond riding. Participants never alone."

cluster of issues related to participants described horses something to work toward. horse as a challenge, like and motivating, something aspect of the bond in that adresses-in-arms, allies, and their horses as a way of ment," and "getting a new of early recovery experi-

of intimacy in the horse—in their journeys toward (e.g., therapeutic riding) between those horses asked about the length of shared history of facing circumstances for the animal ("the best horse I'd ever seen") mutual understanding and [the horse] seems to know as to know what I mean about something I have with strong...I mean a strong emotion...you fight with him, he decided to take off. I said to get on him. I know

relationships with smaller relationships and those

with their equine partners. One participant emphasized: "You can't sit on your dog and go for a four-hour trail ride in the mountains."

Participants' feelings about the rural environment in general and the barn in particular seemed to be closely tied to the feelings of intimacy they experienced with their horses. The barn was often described as a "nest" or safe place that provided the context for healing. One participant explained: "... comfort zone ...that is what I get at the barn with my horses." Participants often described the smells, sounds, and places in the barn that were significant to them. One participant talked about how as a teenager she would go to her horse's stall for comfort and cry until she fell asleep. Another participant described the sound of horses in the barn eating contentedly as a therapeutic experience: "Just to listen to them munch on hay, I feel like I'm in heaven." With regard to the rural environment, one participant explained: "Going to the barn and mucking out, and turning out, and feeding, being out in the country, being at one with nature, there's a whole warmth to it, and it's a very healing, positive warmth."

Closely related to "feelings" was the importance to healing of closeness, touch, and physical contact between the rider and horse. One participant, talking of physical proximity to his horse, said: "... to me it's a safe zone, I just want to be there." Many of the riders talked about the importance of touch while in the saddle, identifying it as significant to the amount of intimacy they developed with their equine partners: "I think the only comparison to riding a horse is probably when people make love ... because it's the same connection. You're so close and it's intimate but there's not a lot of talking. It's like when you're so close with somebody you can move with them. Like probably, I would think, like when people get to swim with dolphins and whales ... it's a non-verbal, very close body connection."

The importance and healing quality of touch was also inherent in the husbandry that surrounded the care and grooming of the horse. Referring to these activities, one participant said: "There's the physical contact, which is therapeutic."

"Task-related" behaviors and "relationship-related" behaviors both seemed to be important to healing and recovery. Participants described task-related behaviors, such as grooming, using equipment and training techniques to teach the horse to behave in a particular way, as familiar, comforting, and contributing to feelings of competence. Although there was no clear distinction between task-related and relationship-related behaviors, the latter were related more to feelings of intimacy than feelings of competence. One rider explained: "I think the emotional part that helped me was in the barn, playing with [my horse]. You know, grooming him, playing with him, talking to him ... because with a horse, you're not alone, he's always responding to what I do, whether it's the grooming aspect I'm doing to him, or talking to him, he's always talking back."

Discussion

The results of this study suggest that the relationships participants had with their horses contributed significantly to their healing from trauma. Furthermore, findings suggest parallels between good equine-human relationships and good therapist-client relationships, both in terms of the nature of the bonds that are formed and their healing qualities.

The four bond themes described in the results have many parallels to the descriptions of good therapeutic alliances in the psychotherapy literature. Hougaard's (1994) analysis of the concept of the therapeutic alliance divides it into two main areas: the personal relationship, which is socio-emotional, and the collaborative relationship, which is task-oriented. The four bond themes that emerged in this study clearly fit into these two categories. The first two

human-equine bond themes (intimacy/nurturing and identity bonds) are clearly personal and emotional, whereas the partnership and utility bonds are collaborative and task-oriented.

The intimacy/nurturing component of the equine-human bond echoes traditionally valued characteristics of therapist-client relationships, such as mutual liking, warmth, trust and respect. However, the depth of the emotional connection that many riders had with their horses seems to go beyond the intimacy achieved in most therapist-client relationships. Riders emphasized the accepting and nonjudgmental nature of horses compared with humans. Most strikingly, they talked of the deep bonds forged by exchanges of physical affection—something not ethically possible in therapist-client relationships. Although the identity bond is somewhat different in that it is focused on feelings about self in relation to the horse and to riding, especially with regard to recovering aspects of one's pre-trauma identity, it is clearly personal and emotional in nature.

The partnership and utility components of the equine-human bond clearly suggest collaboration. In riding, collaboration requires trust and development of verbal and non-verbal communication between horse and rider. Collaboration in psychotherapy requires agreement on goals and tasks (Hougaard 1994). Although such agreement is less explicit in equine-human relationships, it is still required if the demands of skill development and competing are to be met. The trained horse is the skilled partner that not only receives direction from the rider, but also teaches the rider the best way to elicit specific responses in their interaction. The partnership and utility aspects of the human-equine bond reflect the essence of what is required in a therapeutic endeavor—agreement on tasks and goals and collaboration.

Participants' descriptions of how their relationships with horses contributed to their healing from trauma also parallel in many respects the descriptions in the psychotherapy literature of how therapeutic alliances contribute to client change. Psychotherapy research has lent support to Frank's (1961, 1991) common factors theory, which holds that a good helping relationship is the most important factor contributing to therapeutic change and that its primary function is to instill hope and overcome demoralization (Lambert and Ogles 2004). Although study participants did not use these terms explicitly, their descriptions of how the trust, understanding, intimacy, and support they experienced in their relationships with their horses nurtured their recovery fits very well with this conceptualization. Closely related to the ideas of instilling hope and improving morale is the psychotherapeutic concept of the corrective emotional experience (Alexander and French, cited in Weinberger 1993). Weinberger, who has built on Frank's (1961, 1982, 1991) work to develop his own theory of common factors, suggests that a key mechanism in a corrective emotional experience in therapy is that the client "faces the issue troublesome to him or her and learns that it is not as devastating as imagined or feared" (Weinberger 1993, p. 51). This certainly rings true for the five participants in this study who suffered physical trauma that compromised not only their riding ability, but their feelings of competence and worth. With the support of their horses, they were able to regain ability and self-esteem. Christensen and Jacobsen (1994, p. 12) have pointed out that "personal change that does not rely on experts may create a sense of personal autonomy or personal empowerment that is not obtained in professional therapy."

In addition to an emotionally close relationship with a helper (or horse), another aspect of the healing process referred to by the participants in this study also has a parallel in Frank's (1982) common factors theory. Frank's theory focuses not only on factors that are common across different types of psychotherapy, but also on how these factors exist in all approaches to healing, including religious revivalism and traditional healing in non-industrialized societies. In all approaches to healing, Frank and Frank (1991, p. 41) point out the importance of a special

setting that provides aspects of themselves the healing qualities.

Finally, the importance of relationships with horses in various types of counter groups and support groups. They say: "This over the erotic or aggressive enhancing rapport has emerged in the. This attachment-bonding, and through attachment suffering trauma recovery this study is that the effects of "safe" to

Conclusions

Although this study for therapeutic purposes, certain factors are necessary for recovery. Nevertheless, the general idea between the therapeutic relationships. Secondary aspects beyond therapists. The horse's unconditional relationship long-term horseback to dealing with a reteam. Development, intimacy, self-mastery and empowerment approach.

Strength-based (1997), emphasizing environment perspective presented in development parallels with common depression. Riders concurrently developing taking risks while riding applied to other participants.

Riding is not for everyone. Some clients might

are clearly personal and
e and task-oriented.

shoes traditionally valued
armth, trust and respect.

with their horses seems
s. Riders emphasized the
ans. Most strikingly, they
—something not ethically
omewhat different in that
especially with regard to
d emotional in nature.

nd clearly suggest col-
f verbal and non-verbal
apy requires agreement
less explicit in equine-
ment and competing are
direction from the rider,
eir interaction. The part-
ence of what is required
oration.

contributed to their heal-
psychotherapy literature
/ research has lent sup-
at a good helping rela-
ge and that its primary
Ogles 2004). Although
s of how the trust, un-
ships with their horses
/ related to the ideas of
f the correctional emo-
inberger, who has built
mon factors, suggests
is that the client “faces
stating as imagined or
articipants in this study
bility, but their feelings
le to regain ability and
that “personal change
y or personal empow-

se), another aspect of
as a parallel in Frank's
ors that are common
exist in all approaches
idustrialized societies.
nportance of a special

setting that provides “safety” and allows people to “freely express feelings, [and] dare to reveal aspects of themselves that they have concealed from others.” Participants' descriptions of the healing qualities of the rural setting and the barn reflect this very clearly.

Finally, the importance of touch and physical closeness that participants talked about in their relationships with horses has also received theoretical and empirical support as a healing agent in various types of helping. The Franks (1991, p. 130) note that with a few exceptions (e.g., encounter groups and body therapies), most Western psychotherapies have avoided touch. They say: “This oversight may reflect a culturally biased perception of all bodily contact as either erotic or aggressive. Such bias robs therapists of powerful means of relieving tension and enhancing rapport that are widely used in other cultures.” The significance of touch in healing has emerged in the work of Jernberg and Booth (1999) with the development of Theraplay®. This attachment-based approach to healing incorporates nurturing touch with structure, engagement, and challenge to meet the needs of both parents and children, enhancing healing through attachment. Touch is a sensitive topic in psychotherapy and in particular with clients suffering trauma related to touch (sexual abuse, incest, domestic violence). The point made by this study is that riding and grooming an equine partner offers the opportunity for the healing effects of “safe” touch within a close relationship.

Conclusions

Although this study suggests the promise of equine–human relationships for psychotherapeutic purposes, caution must be exercised in interpreting these results. Clearly, larger studies are necessary to establish the effectiveness of equine–human relationships in trauma recovery. Nevertheless, these results have a number of positive implications. First, they support the general idea that human–animal relationships can be therapeutic, and reveal parallels between the therapeutic impact of the therapist–client relationship and that of human–animal relationships. Second, they imply that equine–human relationships might have unique therapeutic aspects beyond those found in relationships either with small companion animals or with therapists. The horse is accessible when the rider is ready to work on their recovery, providing unconditional responsiveness. Third, deriving from the first two points, people who are not long-term horseback riders might also benefit from the help equine–human relationships bring to dealing with a range of common problems, such as anxiety, depression, and low self-esteem. Development of a relationship with a horse offers the opportunity for acceptance, nurturance, intimacy, safe touch and physical affection, collaboration, development of a sense of mastery and empowerment, and a natural setting that is safe and soothing. Unlike many professional approaches to therapy, riding focuses on ability, not disability.

Strength-based approaches to helping utilizes clients' strengths and resilience (Saleebey 1997), emphasizing the need for social workers to empower their clients and the person-in-environment perspective. Equine–human bonds offer people this opportunity. The challenges presented in developing a relationship with a large powerful animal and learning to ride have parallels with common life challenges, including recovery from trauma, low self-esteem, and depression. Riders develop mutual trust, acceptance, liking, and intimacy with their horses, and concurrently develop skills, mastery, and self-esteem through collaboration, facing fears, and taking risks while riding. It is not difficult to understand how such advancements could be applied to other parts of one's life.

Riding is not for everyone. Horses are imposing and at times difficult animals to handle. Some clients might find the physical requirements too demanding or might have health

problems (e.g., asthma, allergies) that prevent them from interacting with animals. Horses may not be easily accessible in some urban settings. Nevertheless, social workers and other helping professionals should consider the use of horses as a therapeutic adjunct, supportive follow-up to therapy, or alternative to therapy for their clients.

Acknowledgements

This research was funded by the Ontario Veterinary College, Guelph, Ontario, Canada. Thanks to Judy Bell and Chris Frank for their assistance. Thanks to the anonymous reviewers and Dr. Podberscek for their valued feedback.

References

- Alexander, L. and Solomon, P. 2006. *The Research Process in Human Services*. Belmont, CA: Thomson, Brooks, Cole.
- Allen, K. M. 1985. *The Human Animal Bond*. Metuchen, NJ: Scare Crow Press.
- American Psychiatric Association. 2000. *Diagnostic and Statistical Manual of Mental Disorders*. 4th edn, Text Revision. Washington, DC: Author.
- Bartlett, H. 1958. Working definition of social work practice. *Social Work* 3(2): 5-8.
- Beck, A. and Katcher, A. 2003. Future directions in human-animal bond research. *American Behavioral Scientist* 47(1): 79-93.
- Bizub, J. and Davidson, L. 2003. "It's like being in another world." *Psychiatric Rehabilitation Journal* 26(4): 377-384.
- Bowlby, J. 1969. *Attachment and Loss: Vol. I*. New York: Basic Books.
- Brackenridge, S. S. and Shoemaker, R. S. 1996. The human/horse bond and client bereavement in equine practice (part 1). *Equine Practice* 18: 19-22.
- Brandt, K. 2004. A language of their own: An interactionalist approach to horse-human communication. *Society & Animals* 12(4): 299-316.
- Christensen, A. and Jacobson, N. S. 1994. Who or what can do psychotherapy: The status and challenge of nonprofessional therapies. *Psychological Science* 5: 8-14.
- Crawford, E. K., Worsham, N. L. and Swinehart, E. R. 2006. Benefits derived from companion animals and the use of the term "attachment." *Anthrozoös* 19(2): 98-112.
- Denzin, N. and Lincoln, Y. eds. 1994. *Handbook of Qualitative Research*. Thousand Oaks, CA: Sage Publications.
- Edgette, J. S. 1996. *Heads UP! Practical Sports Psychology for Riders, Their Families and Their Trainers*. New York: Doubleday Dell.
- Engel, B. T. ed. 1997. *Rehabilitation with the Aid of a Horse: A Collection of Studies*. Durango, CO: Barbara Engel Therapy Services.
- Figley, C. R. 1995. *Compassion Fatigue: Coping with Secondary Traumatic Stress Disorder in Those Who Treat the Traumatized*. Bristol, PA: Brunner/Mazel.
- Frank, J. D. 1961. *Persuasion and Healing: A Comparative Study of Psychotherapy*. Baltimore, MD: Johns Hopkins University.
- Frank, J. D. 1982. Therapeutic components shared by all psychotherapies. In *The Master Lecture Series. Vol. 1: Psychotherapy, Research and Behavior Change*, 9-37, ed. J. H. Harvey and M. M. Parks. Washington, DC: American Psychological Association.
- Frank, J. D. and Frank, J. 1991. *Persuasion and Healing: A Comparative Study of Psychotherapy*. 3rd edn. Baltimore, MD: Johns Hopkins University Press.
- Frewin, K. and Gardiner, B. 2005. New Age or old sage? A review of equine assisted psychotherapy. *The Australian Journal of Counselling Psychology* 6: 13-17.
- Friedmann, E., Katcher, A. H., Lynch, J. J. and Thomas, S. A. 1980. Animal companions and one-year survival of patients after discharge from a coronary care unit. *Public Health Reports* 95(4): 307-312.
- Garrity, T. F. and Stallones, L. 1998. Effects of pet contact on human well-being: review of recent research. In *Companion Animals in Human Health*, 3-22, ed. C. C. Wilson and D. C. Turner. Thousand Oaks, CA: Sage.
- Germain, C. 1981. The ecological approach to people-environment transactions. *Social Casework: The Journal of Contemporary Social Work* June: 323-331.
- Germain, C. and Gitterman, A. 1980. *The Life Model of Social Work Practice*. New York: Columbia University Press.
- Gubrium, J. F. and F. 1999. *Handbook of Qualitative Research*. Thousand Oaks, CA: Sage.
- Gubrium, J. F. and F. 1999. *Handbook of Qualitative Research*. Thousand Oaks, CA: Sage.
- Haylock, P. and Cantril, J. 1998. The use of horses in therapy. *Equine Practice* 20(10): 501-509.
- Herman, J. 1997. *Trauma and Recovery*. New York: Harper & Row.
- Horvath, A. O. and S. 2001. A meta-analysis of the effectiveness of equine-assisted therapy. *Journal of Equine Veterinary Science* 21(12): 248-254.
- Hougaard, E. 1994. The use of horses in therapy. *Equine Practice* 16(10): 67-85.
- Jernberg, A. M. and F. 1999. *Through Attachment*. New York: Harper & Row.
- Jorgenson, J. 1997. The use of horses in therapy. *Equine Practice* 19(12): 248-254.
- Kaiser, L., Smith, K. A. and special education. 1998. The use of horses in therapy. *Equine Practice* 20(10): 501-509.
- Katcher, A. H. 1980. *Small Animal Practice*. Philadelphia: W.B. Saunders Company.
- Katcher, A. H., Friedl, J. and physiological consequences. 1998. *Companion Animals in Human Health*. Thousand Oaks, CA: Sage.
- Kellert, S. R. and Wils, L. 1999. *The Human-Animal Bond*. New York: Springer.
- Lagoni, L., Butler, C. A. and Co. 1999. *The Human-Animal Bond*. New York: Springer.
- Lambert, M. J. and Ogden, J. 1999. *Handbook of Psychotherapy and Behavior Change*. Wiley and Sons.
- Mallon, G. P. 1992. *Utterson and Young*. New York: Doubleday Dell.
- Meichenbaum, D. 1999. *Post-Traumatic Stress Disorder*. New York: Springer.
- Milani, M. 1995. *The Use of Animals in Therapy*. Philadelphia: University of Pennsylvania Press.
- Odendaal, J. S. J. 2000. The use of horses in therapy. *Equine Practice* 22(10): 275-280.
- Orlinsky, D. E., Roney, J. and search: Continuity and change. 1999. *Journal of Consulting and Clinical Psychology* 67(5): 307-390, ed. J. H. Harvey and M. M. Parks.
- Pearson, E. T. 1997. *Rehabilitation with the Aid of a Horse*. Durango, CO: Barbara Engel Therapy Services.
- Regehr, C., Hill, J. and of Nervous and Mental Disorders. 1999. *Handbook of Qualitative Research*. Thousand Oaks, CA: Sage.
- Russell, L. A. 2003. *The Human-Animal Bond*. New York: Springer.
- Saleebey, D. 1997. *The Human-Animal Bond*. New York: Springer.
- 2nd edn, 49-58, ed. C. C. Wilson and D. C. Turner.
- Saskow, C. 2002. *Under the Influence*. New York: Springer.
- Seigel, J. M. 1990. *Strategies for pet ownership*. *Journal of Equine Veterinary Science* 10(10): 507-538.
- Siporin, M. 1980. *Equine-Assisted Therapy*. New York: Springer.

with animals. Horses may
 I workers and other help-
 adjunct, supportive follow-

Ontario, Canada. Thanks
 ymous reviewers and Dr.

es. Belmont, CA: Thomson,

ental Disorders. 4th edn, Text

3.
 American Behavioral Scientist

tation Journal 26(4): 377–384.

lient bereavement in equine

man communication. Society

The status and challenge of

companion animals and the

Jaks, CA: Sage Publications.
 ilies and Their Trainers. New

Durango, CO: Barbara Engel

Disorder in Those Who Treat

rapy. Baltimore, MD: Johns

Master Lecture Series. Vol.
 M. Parks. Washington, DC:

of Psychotherapy. 3rd edn.

sisted psychotherapy. The

nions and one-year survival
): 307–312.

view of recent research. In
 Thousand Oaks, CA: Sage.
 xial Casework: The Journal

ce. New York: Columbia

- Gubrium, J. F. and Holstein, J. A. 1994. Phenomenology, ethnomethodology and interpretive practice. In *Handbook of Qualitative Research*, 262–272, ed. N. K. Denzin and Y. S. Lincoln. Newbury Park, CA: Sage.
- Gubrium, J. F. and Holstein, J. A. 1997. *The New Language of the Qualitative Method*. New York: Oxford University Press.
- Haylock, P. and Cantril, C. 2006. Healing with horses: Fostering recovery from cancer. *Explore May* 3(2): 264–268.
- Haynes, K. 1998. The one hundred year debate: Social reform versus individual treatment. *Social Work* 43(6): 501–509.
- Herman, J. 1997. *Trauma and Recovery: The Aftermath of Violence – from Domestic Abuse to Political Terror*. New York: Harper Collins.
- Horvath, A. O. and Symonds, B. D. 1991. Relation between working alliance and outcome in psychotherapy: A meta-analysis. *Journal of Counseling Psychology* 38: 139–149.
- Hougaard, E. 1994. The therapeutic alliance—A conceptual analysis. *Scandinavian Journal of Psychology* 35: 67–85.
- Jernberg, A. M. and Booth P. B. 1999. *Theraplay: Helping Parents and Children Build Better Relationships Through Attachment-Based Play*. San Francisco, CA: Jessey-Bass Publishers.
- Jorgenson, J. 1997. Therapeutic use of companion animals in health care. *Journal of Nursing Scholarship* 29(12): 248–254.
- Kaiser, L., Smith, K. A., Heleski, C. R. and Spence, L. J. 2006. Effects of a therapeutic riding program on at-risk and special education children. *Journal of American Veterinary Association* 228(1): 46–52.
- Katcher, A. H. 1980. Potential health value of pet ownership. *Compendium on Continuing Education for the Small Animal Practitioner* 11(2): 117–122.
- Katcher, A. H., Friedmann, E., Beck, A. M. and Lynch, J. 1983. Looking, talking and blood pressure: the physiological consequences of interaction with the living environment. In *New Perspectives on Our Lives with Companion Animals*, 351–362, ed. A. H. Katcher and A. M. Beck. Philadelphia, PA: University of Pennsylvania Press.
- Kellert, S. R. and Wilson, E. O. eds. 1993. *The Biophilia Hypothesis*. Washington, DC: Island Press.
- Lagoni, L., Butler, C. and Hetts, S. 1994. *The Human–Animal Bond and Grief*. Philadelphia, PA: W. B. Saunders and Co.
- Lambert, M. J. and Ogles, B. M. 2004. The efficacy and effectiveness of psychotherapy. In *Bergin and Garfield's Handbook of Psychotherapy and Behavior Change*. 5th edn, 139–193, ed. M. J. Lambert. New York: John Wiley and Sons.
- Mallon, G. P. 1992. Utilization of animals as therapeutic adjuncts with children and youth. A review of the literature. *Child and Youth Care Forum* 21: 53–67.
- Meichenbaum, D. 1994. *A Clinical Handbook/Practical Therapist Manual for Assessing and Treating Adults with Post-Traumatic Stress Disorder (PTSD)*. Waterloo, Ontario: Institute Press.
- Milani, M. 1995. *The Art of Veterinary Practice: A Guide to Client Communication*. Philadelphia, PA: University of Pennsylvania Press.
- Odendaal, J. S. J. 2000. Animal assisted therapy – magic or medicine? *Journal of Psychosomatic Research* 49: 275–280.
- Orlinsky, D. E., Rønnestad, M. H. and Willutzki, U. 2004. Fifty years of psychotherapy process-outcome research: Continuity and change. In *Bergin and Garfield's Handbook of Psychotherapy and Behavior Change*. 5th edn, 307–390, ed. M. J. Lambert. New York: John Wiley and Sons.
- Pearson, E. T. 1997. Effects of equine facilitated therapy on antisocial behavior of adolescent males. In *Rehabilitation with the Aid of a Horse: A Collection of Studies*, 177–206, ed. B. T. Engel. Durango, CO: Barbara Engel Therapy Services.
- Regehr, C., Hill, J. and Glancy, G. 2000. Individual predictors of traumatic reactions in firefighters. *The Journal of Nervous and Mental Disease* 188(6): 333–339.
- Russell, L. A. 2003. Decoding equine emotions. *Society & Animals* 11(3): 265–266.
- Salisbury, D. 1997. The strengths approach to practice. In *The Strengths Perspective in Social Work Practice*. 2nd edn, 49–58, ed. D. Salisbury. New York: Longman.
- Saslow, C. 2002. Understanding the perceptual world of horses. *Applied Animal Behavioral Science* 78: 209–224.
- Seigel, J. M. 1990. Stressful life events and use of physician services among the elderly: The moderating role of pet ownership. *Journal of Personality and Social Psychology* 58: 1081–1086.
- Seiporin, M. 1980. Ecological Systems Theory in social work. *Journal of Sociology and Social Welfare* 7: 507–538.

- Siporin, M. 1983. The therapeutic practice in clinical social work. *Social Work* May-June: 193-198.
- Stein, H. 1960. The concept of the social environment in social work practice. *Smith College Studies in Social Work* June: 187-210.
- Strand, E. 2004. Interparental conflict and youth maladjustment: the buffering effects of pets. *Stress, Trauma & Crisis* 7(3): 151-168.
- Strauss, I. 1991. *Hippotherapy: Neurophysiological Therapy on the Horse*. Toronto, ON: Therapeutic Riding Association.
- Strauss, A. L. and Corbin, J. 1990. *Basics of Qualitative Research: Grounded Theory Procedures and Techniques*. Newbury Park, CA: Sage.
- Taylor, S. 2001. Equine facilitated psychotherapy: An emerging field. Master's thesis, St. Michael's College, Burlington, Vermont, USA.
- Tyler, J. 1994. Equine psychotherapy: Worth more than just a horse laugh. *Women and Therapy* 15: 139-146.
- Van der Kolk, B. A., McFarlane, A. C. and Weisaeth, L. 1996. *Traumatic Stress: The Effects of Overwhelming Experience on Mind, Body and Society*. New York: Guilford.
- Wampold, B. E. 2001. *The Great Psychotherapy Debate: Models, Methods, and Findings*. Hillsdale, NJ: Erlbaum.
- Weinberger, J. 1993. Common factors in psychotherapy. In *Comprehensive Handbook Of Psychotherapy Integration*, 43-56, ed. G. Stricker and J. R. Gold. New York: Plenum.
- Wilson, E. O. 1984. *Biophilia*. Cambridge, MA: Harvard University Press.
- Wipperfurth, A. 2000. Partnership: The horse-rider relationship in eventing. *Symbolic Interactionism* 23: 47-70.
- Yorke, J. 2003. The therapeutic value of the equine-human relationship in recovery from trauma: a qualitative analysis. Masters thesis, Wilfrid Laurier University, Waterloo, Ontario, Canada.

Address for correspondence:
Dr Sarah Knight, Department
of Psychology, King Henry
Building, King Henry I St,
Portsmouth PO1 2DY, UK.
E-mail:
sarah.knight@port.ac.uk